

Iodoliquid

Ready to use liquid for professional use only

UDDER HYGIENE AFTER MILKING

**TEAT DISINFECTION BY DIPPING AND SPRAYING (INCLUDING
MILKING ROBOT)**

BIOCIDAL PRODUCT

Active substance(s) for 100g of product : Iodine (stabilised by a non-ionic surfactant) 0,253g

MAIN GROUP 1: Disinfectants and general biocidal products; Product-type 3: Veterinary hygiene biocidal
products

PRESENTATION

- . Homogeneous, opaque liquid, brown
- . Undiluted pH-value : 5 ± 0.5
- . pH at 10 g/l : Not available
- . Density at 20°C : 1.02 ± 0.01 g/cm³
- . Freezing point : 0 °C

PROPERTIES

- . Main components :
 - Iodine : 2 500 mg/kg in the form of iodophor
 - Softening, moisturizing and emollient substances : Lanolin derivated, sorbitol and glycerol
 - Surfactants
 - pH regulating agent

HYPRED SAS

55, Boulevard Jules Verger B.P 10180, 35803 DINARD Cedex - FRANCE

Tél : +33 (0)2 99 16 50 00 Fax : +33 (0)2 99 16 50 20 - e-mail : hypred@hypred.com

USAGE

Instructions:

Iodoliquid is a liquid solution containing 2500 ppm iodine enriched with softening, emollient and moisturizing substances.

Iodoliquid is a ready-to-use bactericidal and yeasticidal disinfectant intended to disinfect the teats and basis of the udder after milking.

Quick action: Bactericidal on Escherichia coli, Staphylococcus aureus, Streptococcus uberis and yeasticidal on Candida albicans in 1 minute.

Fill the dipping cup, the sprayer or the reservoir of the milking robot with Iodoliquid.

Apply Iodoliquid by dipping (5 ml per cow recommended) on the full length of the teat after milking.

Apply Iodoliquid by spraying (7 to 8 ml per cow recommended) on the full length of the teat and basis of the udder after milking.

Leave the product until next milking. Keep the cows standing until the product has dried.

At the next milking, use a teat cleaning and wiping method systematically before attaching the milking cluster.

Repeat the application at each milking.

Clean regularly the application equipment with warm water.

PACKAGING

Jerrycan 22l Black 22kg

Use the product within 24 months from its manufacturing date.

SECURITY

Refer to the Safety Data Sheets available on the Internet : <http://www.hypred.com>

LEGISLATION

Use biocides safely. Always read the label and product information before use.

For disinfecting products, efficiency tests have been carried out in compliance with relevant regulations.